

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Perfekt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

Stripper, irritant, solvent-free

Process categories [PROC]: 8, 10, 11

1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: labor@buzil.de

Internet: www.buzil.com

1.4. Emergency telephone number: +49 (0) 8331 / 930-730

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes serious eye damage.

2.2. Label elements

Hazardous components which must be listed on the label

Sodium hydroxide; caustic soda

Signal word: Danger

Pictograms: GHS05



Hazard statements

H290 May be corrosive to metals.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 2 of 10

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| EC No | Chemical name | Quantity |
|------------------|---|------------|
| CAS No | | |
| Index No | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| REACH No | | |
| 230-785-7 | tetrapotassium pyrophosphate | 5 - < 10 % |
| 7320-34-5 | | |
| | Eye Irrit. 2; H319 | |
| 01-2119489369-18 | | |
| 239-854-6 | sodium cumene sulfonate | 1 - < 5 % |
| 15763-76-5 | | |
| | Eye Irrit. 2; H319 | |
| 01-2119489411-37 | | |
| | fatty alcohol polyethoxilate | 1 - < 5 % |
| 26183-52-8 | | |
| | Acute Tox. 4, Eye Irrit. 2; H302 H319 | |
| 270-115-0 | sodium dodecyl benzene sulfonate | 1 - < 5 % |
| 68411-30-3 | | |
| | Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412 | |
| 01-2119489428-22 | | |

Full text of H- and EUH-phrases: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - 15 % phosphates, < 5 % non-ionic surfactants, < 5 % anionic surfactants, perfumes (Linalool).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 3 of 10

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet
alcohol resistant foam
Carbon dioxide
Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:
Carbon dioxide
Carbon monoxide.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).
Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.
Do not mix with other chemicals.
Wear personal protection equipment (refer to section 8).
When using do not eat, drink or smoke.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 4 of 10

Do not breathe gas/fumes/vapour/spray.
Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|-------------------------|----------------|----------|------------------------|
| DNEL type | | Exposure route | Effect | Value |
| 15763-76-5 | sodium cumene sulfonate | | | |
| Worker DNEL, long-term | | dermal | systemic | 7,6 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 53,6 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 3,8 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 13,2 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 3,8 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|-------------------------|----------|
| Environmental compartment | | Value |
| 15763-76-5 | sodium cumene sulfonate | |
| Micro organisms in sewage treatment plants (STP) | | 100 mg/l |

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing.
Wash hands before breaks and after work.
When using do not eat, drink or smoke.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
Suitable material: NBR (Nitrile rubber).
Breakthrough time (maximum wearing time) >480 min.
A survey of suitable brands with detailed information on breakthrough times is available upon request.

Skin protection

Wear suitable protective clothing.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 5 of 10

Respiratory protection

If extensively sprayed or used with high pressure equipment: combination filter A1/P2.
Use only in well-ventilated areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour:
Odour: Perfumes, fragrances

Test method

pH-Value (at 20 °C): 13,0 - 14,0

Changes in the physical state

Melting point: ca. 0 °C
Initial boiling point and boiling range: ca. 100 °C
Flash point: not applicable

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined
Density (at 25 °C): 1,11 g/cm³
Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined
Viscosity / dynamic:
(at 25 °C) <10 mPa·s

Vapour density: not determined
Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 6 of 10

10.1. Reactivity

Exothermic reaction with: Acid

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

| CAS No | Chemical name | | | | |
|------------|----------------------------------|--------|-------------|---------|--------|
| | Exposure routes | Method | Dose | Species | Source |
| 7320-34-5 | tetrapotassium pyrophosphate | | | | |
| | oral | LD50 | >2000 mg/kg | Rat | |
| | dermal | LD50 | >2000 mg/kg | Rat | ATE |
| | inhalative aerosol | LC50 | >5 mg/l | Rat | ATE |
| 15763-76-5 | sodium cumene sulfonate | | | | |
| | oral | LD50 | >7000 mg/kg | Rat | |
| | dermal | LD50 | >2000 mg/kg | Rabbit | |
| | inhalative vapour | LC50 | >20 mg/l | Rat | ATE |
| | inhalative aerosol | LC50 | >5 mg/l | Rat | ATE |
| 26183-52-8 | fatty alcohol polyethoxilate | | | | |
| | oral | LD50 | 500 mg/kg | Rat | ATE |
| | dermal | LD50 | >2000 mg/kg | Rat | ATE |
| | inhalative aerosol | LC50 | >5 mg/l | Rat | ATE |
| 68411-30-3 | sodium dodecyl benzene sulfonate | | | | |
| | oral | LD50 | 500 mg/kg | Rat | ATE |
| | dermal | LD50 | >2000 mg/kg | Rat | ATE |
| | inhalative aerosol | LC50 | >5 mg/l | Rat | TE |

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 7 of 10

| CAS No | Chemical name | | | | | |
|------------|------------------------------|--------|------------|-----------|--------------------------------|----------|
| | Aquatic toxicity | Method | Dose | [h] [d] | Species | Source |
| 15763-76-5 | sodium cumene sulfonate | | | | | |
| | Acute fish toxicity | LC50 | >1000 mg/l | 96 h | | |
| | Acute crustacea toxicity | EC50 | >1000 mg/l | 48 h | Daphnia magna (Big water flea) | |
| | Algae toxicity | NOEC | 31 mg/l | 4 d | | |
| 26183-52-8 | fatty alcohol polyethoxilate | | | | | |
| | Acute algae toxicity | ErC50 | 19,6 mg/l | 72 h | | OECD 201 |
| | Acute crustacea toxicity | EC50 | 15 mg/l | 48 h | Daphnia magna (Big water flea) | OECD 202 |

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

| CAS No | Chemical name | | | |
|------------|---|-------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 15763-76-5 | sodium cumene sulfonate | | | |
| | OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C | >60% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |
| 26183-52-8 | fatty alcohol polyethoxilate | | | |
| | OECD 301 | >60% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |
| 68411-30-3 | sodium dodecyl benzene sulfonate | | | |
| | OECD 301 | >60% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|------------------------------|---------|
| 7320-34-5 | tetrapotassium pyrophosphate | -2 |
| 15763-76-5 | sodium cumene sulfonate | -1,1 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.
Delivery to an approved waste disposal company.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 8 of 10

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1824
14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Classification code: C5
Limited quantity: 5 L
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1824
14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Classification code: C5
Limited quantity: 5 L

Marine transport (IMDG)

14.1. UN number: UN 1824
14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Special Provisions: 223
Limited quantity: 5 L
EmS: F-A, S-B

Air transport (ICAO)

14.1. UN number: UN 1824
14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 9 of 10

| | | |
|--|---------|------|
| Hazard label: | 8 | |
| Special Provisions: | A3 A803 | |
| Limited quantity Passenger: | 1 L | |
| IATA-packing instructions - Passenger: | | 852 |
| IATA-max. quantity - Passenger: | | 5 L |
| IATA-packing instructions - Cargo: | | 856 |
| IATA-max. quantity - Cargo: | | 60 L |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): <30%

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

In deviation from REGULATION (EC) No 1272/2008, annex I part 2 and 3, the assessment of skin and eye corrosion and irritation was performed by in-vitro-testing of the product and/or the principles of annex I, part 1.1.0.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Perfekt

Print date: 21.05.2015

G440

Page 10 of 10

Relevant H- and EUH-phrases (Number and full text)

| | |
|------|--------------------------------|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)